POLAT® CENTRIFUGE TECHNOLOGIES

Complete Production Line for Avocado Oil







Boost The Purity Of Your Avocado Oil

Even if it is the fruit with the highest fat content, avocado is mostly consumed raw just like any other fruit. However, the importance of avocado oil is increasing day by day due to the increasing use of avocado-based products and avocado oil for cosmetic and culinary purposes.

There are two main methods for extracting avocado oil for industrial production.

- In the first method; after the fruits are dried, they are pressed at high temperatures and oil is extracted by means of organic solvents.
- In the second method; oil is separated from fruits by centrifugal or pressing forces, then oil cells are submitted to mechanical and enzymatic destruction.

We offer the complete Production line for Avocado Oil

Advantages of Polat Makina

- High product yield with high product quality
- With the differential speed control system, you can increase efficiency with maximum capacity
- Low utility consumption
- Double motor scroll and main motor VFD enable the differential speed control
- Long uptime with less service requirement
- High clarification efficiency
- Easy to use for all kind of customers
- 2 and 3 Phases options are available
- Eliminates the contamination with CIP-system integration
- Whole integration into your SCADA system with our programmable PLC system
- Quick access to your equipment by remote control
- Easy to reach to the service supported from a global network
- All equipment is produced in accordance with food regulations and CE standards





5 continents 44 countries

Group companies in 3 countries Dealership, distributorship and agency in 14 countries.

Dealer & Distributor

Exported Countries

United Kingdom Australia

Georgia Albania Ukraine Russia Azerbaijan Cyprus China Kosovo

Argentina

Nicaragua

Sudan Libya

Avocado Oil Modular Processing Unit









PXA 60 SERIES

Maximum Capacity 60 tonnes/days

Washing and Sorting Band – Elevator

Crusher or Destoner

Malaxer MX 4000

Decanter PMS 470/PXA 60

Separator PMS 405

PXA 100 SERIES

Maximum Capacity 100 tonnes/days

Washing and Sorting

Band – Elevator Crusher or Destoner

Malaxer MX 6000

Decanter PMS 470/PXA 100

Separator PMS 405

PXA 120 SERIES

Maximum Capacity 120 tonnes/days

Washing and Sorting Band – Elevator

Crusher or Destoner

Malaxer MX 6000

Decanter PMS 470/PXA 120

Separator PMS 405

PXA 160 SERIES

Maximum Capacity 160 tonnes/days

Washing and Sorting Band – Elevator

Crusher or Destoner

Malaxer MX 4000*2

Decanter PMS 570/PXA 160

Separator PMS 505

PXA 250 SERIES

Maximum Capacity 200 tonnes/days

Washing and Sorting
Band – Elevator
Crusher or Destoner

Malaxer MX 6000*2

Decanter PMS 570/PXA 250

Separator PMS 505

PXA 500 SERIES

Maximum Capacity 300 tonnes/days
Washing and Sorting

Band – Elevator Crusher or Destoner

Malaxer MX 8000*2

Decanter PMS 570/PXA 500

Separator PMS 505

9 AVOCADO OIL PRODUCTION UNITS
www.polatas.com.tr









MALAXER FEATURES

Capacity (lt/h)	Motor Power (kW)	Dimensions (mm)
4000	3	1310x4587x2400
6000	4	1310x6587x2400
8000	6	2620x4587x2400
12000	8	2620x6587x2400
16000	11	2920x6587x2549
	4000 6000 8000 12000	4000 3 6000 4 8000 6 12000 8

DECANTER FEATURES

Model	Bowl Diameter (mm)	Motor Power (kW)	Driver
PMS 470/ PXA 60	470	30+15	VFD
PMS 470/ PXA 100	470	37+15	VFD
PMS 470/ PXA 120	470	37+15	VFD
PMS 570/ PXA 160	570	55+22	VFD
PMS 570/ PXA 250	570	55+22	VFD
PMS 570/ PXA 500	570	75+22	VFD

SEPARATOR FEATURES

Model	Bowl Diameter (mm)	Motor Power	Bowl Speed (rpm)
PMS 405	405	5,5	6500
PMS 505	505	11	5500

10 11 AVOCADO OIL PRODUCTION UNITS www.polatas.com.tr

Information About Avocado Oil



EXTRA VIRGIN

It is the oil obtained from high quality fruits (with minimal rot and bruises). It is carried out at low temperatures (<50°C) using only mechanical extraction methods, such as press, decanters and screw presses. During the process, water and processing aids (eg enzymes and talcum powder) may be used, but no chemical solvents are used.

VIRGIN

It is the oil obtained from fruit with some bruises or bruises. It is carried out at low temperatures (<50°C) using only mechanical extraction methods, such as press, decanters and screw presses. During the process, water and processing aids (eg enzymes and talcum powder) may be used, but no chemical solvents are used.

PURE


Fruit quality is not important. It is a decolourized, odourless oil with no bland flavour and has low acidity.


BLEND

This kind of avocado oil is perfect for blending and complements extra virgin olive, flaxseed and pumpkin seed oils. The specification and composition should match what is claimed on the label.


12 13 AVOCADO OIL PRODUCTION UNITS www.polatas.com.tr

2-PHASES





3-PHASES



365 days 7/24 Service Excellence

A fast service that reduce downtime to zero?

The most important preference criteria for you is fast service and spare part solutions.

Polat Services provide a wide range of service without making distinctions between small and big machines.

Upon demand, periodic controls of process performance and mechanical conditions in customers' operations with service contracts and a flawless service is provided for supplying of original spare part and changing fields.

Yes, excellence is possible.



Who we are?

Having been laid the foundations in 1978, Polat Makina aims to improve constantly and provide products and services in global-scaled quality and standards with its employees.

It continues its journey which had began in an atelier for 4,5 m² by exporting the values manufactured in an area for 88,000 m² for 44 countries in today's world. Polat Makina is a subsidiary of Polat Group Holding, which has 13 group companies, 4 of which are located abroad, in Italy, Germany, Greece, and Morocco.

Our values

We prioritize creating value for our customers, meeting their expectations in company with quality and stability, looking after our products and being there for our customers aftermarket process. We aim to realize a address climate change and its impact on corporate management faithful to the values our planet. Our eco-friendly policy includes such as modesty, human and endeavor, public reducing our carbon footprint by using closeness and social responsibility awareness. Another fundamental principle which we recycling materials. prioritize is to fulfill our responsibilities for today's world and future generations.

As a responsible corporate entity, Polat Makina is committed to reducing its environmental impact through eco-friendly policies and practices. We understand the urgent need to renewable energy sources, reducing waste, and

We also encourage sustainable transportation and use of energy-efficient appliances. Our commitment to eco-friendly practices extends to our supply chain, where we work with our suppliers to ensure they also follow eco- in the communities in which we operate. We friendly policies. We believe that every action we take towards sustainability can contribute to a greener future for our planet.

Eco-friendly

Human Rights

Our company is committed to promoting and protecting human rights in all aspects of our operations. We recognize the impact our operations can have on human rights and are committed to respecting the rights of our employees, contractors, suppliers, and the communities in which we operate.

Commitment to

Our human rights policy is based on international human rights principles and we strive to create a workplace culture that is free from discrimination and exploitation. We monitor our supply chain for human rights abuses and support human rights initiatives believe that every person deserves dignity, equality, and justice and are committed to upholding these principles in all that we do.



Discover the Harmony in the Flow of Life





POLAT MAKİNA SAN. VE TİC. A.Ş.

Head Office / Factory
Ata Mah. Astim OSB

1.Cadde No: 6 Efeler – AYDIN / TÜRKİYE

P: +90 256 231 04 73 (4 Lines) F: +90 256 231 04 78

polat@polatas.com.tr – satis@polatas.com.tr

POLAT MAKİNA SAN. VE TİC. A.Ş.

Polat Makina Istanbul Office Şerifali Mah. Alptekin Cad. Söyleşi Sok. No:31 Ümraniye – İstanbul / TÜRKİYE P: +90 216 540 50 25–26 **F:** +90 216 540 50 27 industrial@polatas.com.tr

POLAT ITALIA GROUP S.R.L.

Sales Office C/O Consorzio Zipa, V.le Industira, Jesi Ancona info@polatitalia.it

POLAT ITALIA GROUP S.R.L.

R&D Center Sales & Service
Via Rostoncello, 13
Zona Art.le-Ind.le, Val d'Assa 13 - 36015 Carrè
P: +39 0445 628967
info@polatitalia.it

www.polatas.com.tr www.polatitalia.it

Polat reserves the right of design and technical changes for itself to change machine.

Polat Makina Customer Service

For Sale, Service, Maintenance and Complaints requests you can reach Polat Makina customer services at the following number:

+90850 **255 1978**